


PARTS LIST AND INSTRUCTIONS

HARROW

FACTORY ORDER NUMBER 7-1612

(Formerly 7-1611)



MOUNTING

The Harrow is shipped in a carton almost completely assembled.

1. Remove from carton and lay Harrow out on the floor. There are 3 pieces plus a bag with bolts.

2. Bolt adjusting lever fast to the Harrow using U-Bolts. Place the lever towards the front as shown in photograph.

3. Fasten chain to channel using $\frac{3}{8}$ " x $1\frac{1}{2}$ " bolts and washers.

4. It will be necessary to readjust several spikes as they are moved in for shipping. At the same time, if desired, the spikes may be adjusted for height, this will depend upon the condition of the soil to be harrowed.

5. Place the hitch in the tractor-hitch with the chain ring down. The angle of the Harrow teeth may be adjusted with the lever according to operator.

6. Machine oil should be applied to any moving parts.

OPERATION

The Harrow may be used as a Drag to level with by moving lever all the way forward and pulling the spikes up.

When using Harrow in hard soil, added weight may be applied for better penetration.


In grassy condition, it may be necessary to clean grass from spikes occasionally, as the spikes will build up with grass.



WHEEL HORSE

lawn & garden tractors

PARTS DRAWING



PARTS LIST — HARROW
FACTORY ORDER NUMBER 7-1612
(Formerly 7-1611)

Parts available only through Authorized Dealers.
 When ordering parts always list Part No. and Description.
(Specifications subject to change without notice.)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
1	2611	Frame Assembly	1
2	2641	Channel Assembly	3
3	2613	Handle Assembly	1
4	2626	Sector Assembly	1
5	2607	Hitch	1
6	2623	Adjusting Angle	2
7	2617	Locking Pin	1
8	2619	"U" Bolt	3
9	2621	Spike	18
10	2624	Spike Clamp	18
11	915184	Nut — Square $\frac{3}{8}$ -16	18
12	909554	Set-Screw Sq. Hd. $\frac{3}{8}$ -16 x 1	18
13	2625	Spring	1
14	915112	Nut — Nyllok $\frac{5}{16}$ -18	6
15	915113	Nut — Nyllok $\frac{3}{8}$ -16	6
16	932017	Cotter Pin $\frac{1}{8}$ x 1	6
17	920011	Washer $\frac{1}{2}$ Dia. Plain	6
18	908036	Bolt — Hex $\frac{3}{8}$ -16 x $1\frac{1}{2}$	1
19	908035	Bolt — Hex $\frac{3}{8}$ -16 x $1\frac{1}{4}$	5
20	920009	Washer $\frac{3}{8}$ Dia. Plain	1
21	1477	Eyebolt	2
22	920005	Washer #10 Plain	2
23	915563	Nut — Nyllok #10-24	2
24	2610	Chain	2
	103174	Decal — Wheel Horse	1

